

TRUWELL®



PIPES AND FITTINGS

BUILDING **TRUST**. DELIVERING **LIFE**.

OF PROVEN EXPERTISE



PREMIUM
QUALITY



BUILT
TO LAST



LEAK-PROOF
SOLUTIONS



ADVANCED
TECHNOLOGY



SAFE &
SUSTAINABLE



COMPLETE PIPING SOLUTIONS
FOR EVERY NEED



uPVC
PIPES & FITTINGS



CPVC
PIPES & FITTINGS



AGRICULTURE
PIPES & FITTINGS



WATER TANKS



HOSE PIPES



COLUMN PIPES

RESIDENTIAL

AGRICULTURE

COMMERCIAL

INFRASTRUCTURE

INDUSTRIAL



PIPES AND FITTINGS

COMPANY PROFILE

For over **43 years**, Truwell Pipes & Fittings has been a trusted name in India's piping industry, delivering innovative, reliable, and high-performance solutions for residential, agricultural, commercial, and infrastructure applications.

Established in **1983**, Truwell began with a simple vision to manufacture quality piping solutions that stand the test of time. What started as a modest manufacturing initiative has evolved into a large-scale industrial enterprise serving customers across South India through an extensive dealer and distribution network.

Today, Truwell operates through three advanced manufacturing facilities, including a flagship production campus spanning over **355,000 sq. ft.**, equipped with modern machinery, stringent quality systems, and continuous technological upgrades.

Driven by engineering excellence, customer trust, and a commitment to innovation, Truwell continues to shape the future of water management and infrastructure development through a comprehensive portfolio of **uPVC, CPVC, SWR, Borewell, Column Pipes, Agricultural Solutions, Water Storage Tanks**, and **Garden and braided PVC hoses**.

Every Truwell product is designed to deliver durability, performance, and long-term reliability, making us a preferred choice among engineers, contractors, builders, farmers, and infrastructure developers.

Built on decades of expertise and strengthened by modern manufacturing capabilities, Truwell remains committed to creating solutions that help communities grow and industries thrive.



ENGINEERING EXCELLENCE

Advanced technology and precise manufacturing ensure superior performance and reliability.



QUALITY ASSURANCE

Stringent quality control and ISI certified products for total peace of mind.



CUSTOMER TRUST

Built on long-standing relationships and a commitment to customer satisfaction.



INNOVATION & GROWTH

Continuous innovation and product development to meet evolving market needs.



STRONG NETWORK

Extensive dealer and distribution network across South India.



1983

ESTABLISHED IN
1983



43+

YEARS OF
EXPERIENCE



3

ADVANCED
MANUFACTURING
FACILITIES



355,000+

SQ. FT.
MANUFACTURING
INFRASTRUCTURE



SOUTH INDIA

WIDE PRESENCE
THROUGH EXTENSIVE
NETWORK



OUR MANUFACTURING STRENGTH

Advanced Infrastructure. Consistent Quality.

Our manufacturing ecosystem is built to deliver scale, precision, and reliability. With world-class infrastructure and stringent quality systems, we ensure every Truwell product performs beyond expectations.



KEY HIGHLIGHTS



43+ YEARS OF INDUSTRY EXPERIENCE

Over four decades of expertise, innovation and leadership in the pipes and fittings industry.



355,000+ SQ. FT. MANUFACTURING INFRASTRUCTURE

State-of-the-art flagship facility spread across 355,000+ sq. ft. for large-scale production.



3 ADVANCED PRODUCTION FACILITIES

Three strategically located units ensuring efficient production and seamless supply.



ISI CERTIFIED PRODUCT RANGE

All products are ISI certified for safety, durability and consistent high performance.



PRESENCE ACROSS SOUTH INDIA

Strong footprint across Tamil Nadu, Andhra Pradesh, Telangana, Karnataka and Kerala.



MODERN AUTOMATED MANUFACTURING SYSTEMS

Advanced technology and automation for precision engineering and superior output.



RIGOROUS QUALITY ASSURANCE PROCESSES

Multi-level inspection and quality control to ensure products that exceed industry standards.



WIDE PRODUCT PORTFOLIO ACROSS MULTIPLE SEGMENTS

Comprehensive range of pipes and fittings for residential, agricultural, commercial and industrial applications.

ENGINEERED FOR
PERFORMANCE.
BUILT FOR GENERATIONS.



Trusted
Quality



Reliable
Partnerships



Consistent
Supply



Sustainable
Future



RESIDENTIAL



AGRICULTURE



COMMERCIAL



INFRASTRUCTURE



INDUSTRIAL

CERTIFICATIONS

THAT DEFINE OUR COMMITMENT



Our certifications reflect our unwavering commitment to quality, safety, and excellence in every product we deliver.



BIS CERTIFICATION

Products certified under Bureau of Indian Standards for safety, reliability and performance.



CHENNAI METRO RAIL

Approved and empanelled vendor for Chennai Metro Rail projects.



CIPET APPROVAL

Approved by CIPET for meeting quality standards in plastic piping systems.



ISO 9001:2015 CERTIFIED

Quality management system certified for consistent excellence.



TN WATER SUPPLY & DRAINAGE BOARD

Approved supplier for Tamil Nadu Water Supply and Drainage Board.



These certifications strengthen our promise of delivering world-class piping solutions trusted by millions across India.

TRUSTED BY LEADING CLIENTS

DELIVERING NATION-BUILDING PROJECTS



MAJOR STATE & CENTRAL PROJECTS



CHENNAI METRO RAIL
Phase I & II



TANGEDCO PROJECTS
Across Tamil Nadu



NATIONAL HIGHWAYS
AUTHORITY OF INDIA
Infrastructure Development



WATER SUPPLY & DRAINAGE
BOARD PROJECTS
Tamil Nadu



BHARAT ELECTRONICS
LIMITED (BEL)
Infrastructure Works



LARSEN & TOUBRO
PROJECTS
Engineering Excellence



HAR GHAR JAL
JAL JEEVAN MISSION
Rural Water Supply Projects



SOUTHERN RAILWAY
PROJECTS
Infrastructure Development



Proud to contribute to India's progress through quality products, strong partnerships, and a commitment to the nation.



OUR VISION

To become India's most trusted piping solutions brand by delivering world-class products, sustainable innovation, and engineering excellence that support the nation's infrastructure and water management needs.



OUR MISSION

To empower communities, industries, builders, contractors, and farmers through reliable, high-quality piping solutions manufactured with precision, innovation, and a commitment to long-term performance.

Index

HOSES 07

WATER TANKS 10

Blow Mould Tank

Solvent Cements

PVC PIPES & FITTINGS 21

PVC Fittings

SWR Fittings

PP Fittings

Fabricated Fittings

UPVC PIPES & FITTINGS 25

UPVC Pipes

Fabricated

UPVC Fittings

CPVC PIPES & FITTINGS 28

CPVC Pipes

CPVC Fittings

BOREWELL PIPING SYSTEMS 30

Casing Pipes

COLUMN PIPES 34

Electrical Pipes

Electrical Fittings

PVC Ball Valve

CP Bath Fittings 35

GROZA Collections

CP Bath Fittings 36

FLORA Collections

PTMT Collections 37

PREMIUM

PTMT Collections 38

AQUA

HOSES

FLEXIBLE – RIGID – LONG LASTING

SHAKTHI SUPER



SIZE (INCH)	WEIGHT (KG)
½	4.00
5/8	5.00
¾	6.00
1	8.50
1 ¼	12.00
1 ½	18.00

TRANSPARENT WHITE



SIZE (INCH)	WEIGHT (KG)
¼	1.00
½	3.50
5/8	4.50
¾	5.00
1 ¼	12.00
1 ½	18.00

ZEBRA



SIZE (INCH)	WEIGHT (KG)
½	3.00
5/8	4.00
¾	4.70
1	7.50

COLOUR HOSE



SIZE (INCH)	WEIGHT (KG)
¾	4.50
1	6.50

WHITE BRAIDED HOSE



SIZE (INCH)	WEIGHT (KG)
¾	6.00
1	8.00
1 ¼	14.00
1 ½	19.00

GREEN BRAIDED HOSE



SIZE (INCH)	WEIGHT (KG)
¾	5.50
1	7.50
1 ¼	12.00
1 ½	17.00



MAINTENANCE
FREE



LEAK
PROOF



LONG
LASTING



TRUWELL WATER TANKS

Advanced multi-layer tanks for durable, hygienic, and UV-protected water storage.



WATER MAN ROTO TANK

For Future Generation



Heat resistant



100% UV Protection



Unbreakable



Safe for Drinking Water



Maintenance Free



100% Virgin Plastic &
Food-Grade Material



Antibacterial



Rust Proof & Leak Proof

SIZE IN LITRES	HEIGHT	BOTTOM
500	3Ft- 3Inch	2Ft- 9Inch
750	3Ft- 7Inch	3Ft- 2Inch
1000	3Ft- 11Inch	3Ft- 6Inch
1500	4Ft- 5Inch	4Ft
2000	4Ft- 8Inch	4Ft-2Inch
3000	5Ft- 8Inch	4Ft- 9Inch
5000	6Ft- 5Inch	5Ft

LAYERS	Colour
2 Layer	■
3 Layer	■ ■ ■
4 Layer	■ ■ ■ ■
5 Layer	■ ■ ■ ■ ■
6 Layer	■ ■ ■ ■ ■ ■

Blow Mould Tank

SIZE IN LITRES	HEIGHT	BOTTOM
500	3ft - 4Inch	2ft - 9Inch
750	3ft - 9Inch	3ft - 3Inch
1000	4ft - 2Inch	3ft - 7Inch
1500	4ft - 3Inch	3ft - 9Inch
2000	5ft - 3Inch	4ft - 6Inch

LAYERS	Colour
3 Layer	☒ ☐



Solvent Cements

PVC Solvent

QTY	CONTAINER
25ml	Tube
50ml	Tin
100ml	Tin
250ml	Tin
500ml	Tin
1ltr	Tin
5ltr	Can



UPVC Solvent

QTY	CONTAINER
25ml	Tube
50ml	Tin
118ml	Tin
237ml	Tin
500ml	Tin



CPVC Solvent

QTY	CONTAINER
25ml	Tube
50ml	Tin
118ml	Tin
237ml	Tin
500ml	Tin





PVC PIPES & FITTINGS

Superior quality PVC solutions offering high strength, corrosion resistance, and leak-proof performance for agriculture, residential, and industrial applications.



OUTSIDE DIAMETER	TOLERANCE	CLASS 2 (4KGF/CM ²)		CLASS 3 (6KGF/CM ²)		CLASS 5 (10KGF/CM ²)	
		MIN	MAX	MIN	MAX	MIN	MAX
20mm (1/2")	+0.3	-	-	-	-	1.1	1.5
25mm (3/4")	+0.3	-	-	-	-	1.4	1.8
32mm (1")	+0.3	-	-	-	-	1.8	2.2
40mm (1 1/4")	+0.3	-	-	1.4	1.8	2.2	2.7
50mm (1 1/2")	+0.3	-	-	1.7	2.1	2.8	3.3
63mm (2")	+0.3	1.5	1.9	2.2	2.7	3.5	4.1
75mm (2 1/2")	+0.3	1.8	2.2	2.6	3.1	4.2	4.9
90mm (3")	+0.3	2.1	2.6	3.1	3.7	5.0	5.7
110mm (4")	-0.5	2.5	3.0	3.7	4.3	6.1	7.1
140mm (5")	+0.5	3.5	3.8	4.8	5.5	7.7	8.9
160mm (6")	+0.5	3.7	4.3	5.4	6.2	8.8	10.2
180mm (7")	+0.6	4.3	4.9	6.1	7.1	9.9	11.4
200mm (8")	+0.6	4.6	5.3	6.8	7.9	11.0	12.7
225mm (9")	+0.7	5.2	6.0	7.6	8.8	12.4	14.3
250mm (10")	+0.7	5.7	6.5	8.5	9.8	13.8	15.9
280mm (11")	+0.7	6.4	7.4	9.5	11.0	15.4	17.8
315mm (12")	+0.7	7.2	8.3	10.7	12.4	17.3	19.9

Truwell ISI Pipes



Truwell NON ISI Pipes



PVC Fittings

Elbow - 4kg



Size in MM	inch	Std. Pack
40 mm	1¼	200
50 mm	1½	130
63 mm	2	60
75 mm	2½	40
90 mm	3	24
110 mm	4	15
140 mm	5	4
160 mm	6	4

Size in MM	inch	Std. Pack
63 mm	2	50
75 mm	2½	30
90 mm	3	40
110 mm	4	24

Door Elbow Socket



Elbow - 6Kg



Size in MM	inch	Std. Pac
63 mm	2	50
75 mm	2½	30
90 mm	3	18
110 mm	4	10

Size in MM	inch	Std. Pack
63 mm	2	60
75 mm	2½	35
90 mm	3	18
110 mm	4	10

Threaded Elbow



Elbow - 10Kg



Size in MM	inch	Std. Pac
20 mm	½	1000
25 mm	¾	650
32 mm	1	350
40 mm	1¼	200
50 mm	1½	100

Size in MM	inch	Std. Pack
40 mm	1¼	120
50 mm	1½	80
63 mm	2	34
75 mm	2½	26
90 mm	3	16
110 mm	4	8
140 mm	5	3
160 mm	6	2

Tee - 4kg



Elbow PN 16



Size in MM	inch	Std. Pac
25 mm	¾	75

Size in MM	inch	Std. Pack
63 mm	2	50
75 mm	2½	30
90 mm	3	12
110 mm	4	6

Tee -6Kg



Elbow Socket



Size in MM	inch	Std. Pack
63 mm	2	60
75 mm	2½	40
90 mm	3	40
110 mm	4	29

Size in MM	inch	Std. Pack
20 mm	½	750
25 mm	¾	450
32 mm	1	240
40 mm	1¼	120
50 mm	1½	70

Tee -10Kg



PVC Fittings

Tee PN 16



Size in MM	inch	Std. Pack
25 mm	¾	35

Size in MM	inch	Std. Pack
25 mm	¾	850
32 mm	1	550
40 mm	1¼	280
50 mm	1½	150
63 mm	2	90
75 mm	2½	50
90 mm	3	30
110 mm	4	16

FTA



Tee Socket



Size in MM	inch	Std. Pack
63 mm	2	40
75 mm	2½	30
90 mm	3	20
110 mm	4	20

Door Tee Socket



Size in MM	inch	Std. Pack
75 mm	2½	25
90 mm	3	30
110 mm	4	16

Size in MM	inch	Std. Pack
20 mm	½	2,600
25 mm	¾	1,850
32 mm	1	850
40 mm	1¼	524
50 mm	1½	300
63 mm	2	170
75 mm	2½	100
90 mm	3	70
10 mm	4	30
110 mm	6	16
160 mm	6	12
180 mm	7	12
200mm	8	6
250mm	10	6

End Cap



Coupler



Size in MM	inch	Std. Pack
20 mm	½	1,500
25 mm	¾	950
32 mm	1	500
40 mm	1¼	350
50 mm	1½	180
63 mm	2	90
75 mm	2½	54
90 mm	3	34
110 mm	4	18

Size in MM	inch	Std. Pack
63 mm	2	200
75 mm	2½	120
90 mm	3	90
110 mm	4	40

Threaded End Cap (Small)



MTA



Size in MM	inch	Std. Pack
20 mm	½	1,500
25 mm	¾	1,000
32 mm	1	600
40 mm	1¼	350
50 mm	1½	200
63 mm	2	120
75 mm	2½	70
90 mm	3	40
110 mm	4	20

Size in MM	inch	Std. Pack
63 mm	2	200
75 mm	2½	120
90 mm	3	90
110 mm	4	40

Threaded End Cap (Big)



Saddle Washer



Size in MM	inch	Std. Pack
63x75	2x2½	35
90x110	3x4	15

Tail Piece



Size in MM	inch	Std. Pack
75 mm	2½	90
90 mm	3	50
110 mm	4	30

Size in MM	inch	Std. Pack
25 mm	¾	800
32 mm	1	500
40 mm	1¼	300
50 mm	1½	160
63 mm	2	90
75 mm	2½	55
90 mm	3	30
110 mm	4	35

Bend 45° Socket




Reducer



Size in MM	inch	Std. Pack
25x20	¾x½	1,000
32x20	1x½	800
32x25	1x¾	750
40x20	1¼x½	400
40x25	1¼x¾	400
40x32	1½x1	400
50x20	1½x½	200
50x25	1½x¾	200
50x32	1½x1	230
50x40	1½x1¼	200
63x20	2x½	
63x25	2x¾	160
63x32	2x1	150
63x40	2x1¼	150
63x50	2x1½	160

Size in MM	inch	Std. Pack
25x20	¾x½	2,200
32x20	1x½	1,200
32x25	1x¾	1,200
75x40	2½x1¼	120
75x50	2½x1½	120
75x63	2½x2	160
90x50	3x1½	100
90x63	3x2	100
90x75	3x2½	74
110x50	4x1½	60
110x63	4x2	44
110x75	4x2½	44

Reducing Bush



Reducer



Size in MM	inch	Std. Pack
75x40	2½x1¼	104
75x50	2½x1½	104
75x63	2½x2	104
90x50	3x1½	72
90x63	3x2	72
90x75	3x2½	72
110x63	4x2	36
110x75	4x2½	36
110x90	4x3	36

Size in MM	inch	Std. Pack
25x20	¾x½	600
32x20	1x½	350
32x25	1x¾	350
40x20	1¼x½	200
40x25	1¼x¾	200
40x32	1¼x1	200

Reducing Plain Elbow



Reducing Plain Tee



Size in MM	inch	Std. Pack
32x25	1x¾	230
40x20	1¼x½	120
40x25	1¼x¾	120
40x32	1¼x1	120
50x20	1½x½	75
50x25	1½x¾	75
50x32	1½x1	75
50x40	1½x1¼	75
75x50	2½x1½	25
75x63	2½x2	25
90x63	3x2	12
90x75	3x2½	12
110x63	4x2	8
110x75	4x2½	8
110x90	4x3	6
140x90	5x3	5
140x110	5x4	5
160x75	6x2½	3
160x90	6x3	3
160x110	6x4	3

Size in MM	inch	Std. Pack
25x20	¾x½	1,000
32 x 20	1x½	30
32x25	1x¾	600
75x63	2½x2	90
90x63	3x2	50
90x75	3x2½	60
110x63	4x2	30
110x75	4x2½	30
110x90	4x3	30

RMTA



Size in MM	inch	Std. Pack
25x20	¾x½	950
32x20	1x½	600
32x25	1x¾	600
75x63	2½x2	60
90x63	3x2	34
90x75	3x2½	34
110x63	4x2	18
110x75	4x2½	18
110x90	4x3	18

RFTA



Threaded Tee Brass



Size in MM	inch	Std. Pack
25 x 20	¾x½	40
32 x 20	1x½	30

Service Saddle



Size in MM	Tin	Std. Pack
63x20	2x½	56
63x25	2x¾	56
63x32	2x1	56
75x20	2½x½	50
75x25	2½x¾	50
75x32	2½x1	50
90x20	3x½	40
90x25	3x¾	40
90x32	3x1	40
110x20	4x½	34
110x25	4x¾	34
110x32	4x1	34

Threaded RFTA Brass



Size in MM	inch	Std. Pack
25 x 20	¾x½	80
32 x 20	1x½	50

Threaded Elbow Brass



Size in MM	inch	Std. Pack
25 x 20	¾x½	55
32 x 20	1x½	50

SWR Fittings

Elbow 87.5°



Size in MM	inch	Std. Pa
75 mm	2½	40
110 mm	4	24

Size in MM	inch	Std. Pac
75 mm	2½	18
10 mm	4	12

Single Y



Door Elbow 87.5°



Size in MM	inch	Std. Pack
75 mm	2½	30
90 mm	3	35
110 mm	4	23

Size in MM	inch	Std. Pack
75 mm	2½	15
110 mm	4	10

**Single Y
With Door**



Tee Single 87.5°



Size in MM	inch	Std. Pack
75 mm	2½	24
90 mm	3	25
110 mm	4	15

Size in MM	inch	Std. Pack
75 mm	2½	10
110 mm	4	7

Double Y



**Door Tee
Single 87.5°**



Size in MM	inch	Std. Pack
75 mm	2½	15
110 mm	4	13

Size in MM	inch	Std. Pack
75 mm	2½	8
110 mm	4	6

**Double Y
With Door**



Door Cap



Size in MM	inch	Std. Pack
63 mm	2	500
75 mm	2½	400
90 mm	3	325
110 mm	4	150

Size in MM	inch	Std. Pack
75 mm	2½	
110 mm	4	

Door Tee Washer



Vent Cowl



Size in MM	inch	Std. Pack
63 mm	2	130
75 mm	2½	75
90 mm	3	120
110 mm	4	78

Size in MM	inch	Std. Pack
110 mm	4	300

Round Jali



SWR Fittings

P Trap



Size in MM	inch	Std. Pack
110 mm	4	10

Size in MM	inch	Std. Pack
110x50x75	4x1½, 2½	24

Multi Floor Trap



Q Trap



Size in MM	inch	Std. Pack
110 mm	4	10

Size in MM	inch	Std. Pack
110 x 75	4x2½	40
110 x 90	4x3	35

Nahani Trap



S Trap



Size in MM	inch	Std. Pack
110 mm	4	10

PP Fittings

Vent Cowl



Size in MM	inch
63 mm	2
75 mm	2 ½
90 mm	3
110 mm	4

Swr Pipe Clamp



Size in MM	inch
110 mm	4
140 mm	5
160 mm	6

N TRAP



Size in MM	inch
63 mm	2
75 mm	2 ½

Round & Square Grating



Size in MM	inch
63 mm	2
90 mm	3
110 mm	4
140 mm	5
160 mm	6

M Trap



Size in MM	inch
75 mm	2 ½

Door Grating



Size in MM	inch
160 mm	6

Shoe



Size in MM	inch
75 mm	2 X 2 ½
90 mm	3
110 mm	4

Bore Cap



Size in MM	inch
140 mm	5

Fabricated Fittings

Coupler - 4Kg



Size in MM	inch	Std. Pack
63 mm	2	10
75 mm	2 ½	
90 mm	3	
110 mm	4	
140 mm	5	
160 mm	6	
180 mm	7	
200 mm	8	
225 mm	9	
250 mm	10	
315 mm	12	

Coupler - 6Kg



Size inMM	inch	Std. Pack
40 mm	1 ¼	
50 mm	1 ½	
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	
140 mm	5	
160 mm	6	
180 mm	7	
200 mm	8	
225 mm	9	
250 mm	10	
315 mm	12	

Coupler - 10Kg



Size inMM	inch	Std. Pack
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	

Coupler - 15Kg



Size inMM	inch	Std. Pack
20 mm	½	
25 mm	¾	
32 mm	1	
40 mm	1 ¼	
50 mm	1 ½	

Size in MM	inch	Std. Pack
20 mm	½	
25 mm	¾	
32 mm	1	
40 mm	1 ¼	
50 mm	1 ½	

Size inMM	inch	Std. Pack
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	

Size inMM	inch	Std. Pack
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	
140 mm	5	
160 mm	6	
180 mm	7	
200 mm	8	
250 mm	10	

Size inMM	inch	Std. Pack
40 mm	1 ¼	
50 mm	1 ½	
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	
140 mm	5	
160 mm	6	
180 mm	7	
200 mm	8	
250 mm	10	

Size inMM	inch	Std. Pack
20 mm	½	
25 mm	¾	
32 mm	1	

Long Coupler-15Kg



Loose Coupler-6Kg



Bend - 4Kg



Bend-6Kg



Bend-10Kg



Bend-15Kg



Size in MM	inch	Std. Pack
20 mm	½	10
25 mm	¾	
32 mm	1	
40 mm	1 ¼	
50 mm	1 ½	

Size inMM	inch	Std. Pack
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	
140 mm	5	
160 mm	6	
180 mm	7	
200 mm	8	
250 mm	10	

Offset-4 Kg



Threaded bend-6Kg



Size in MM	inch	Std. Pack
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	

Size inMM	inch	Std. Pack
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	

Offset-6 Kg



Threaded bend-10Kg



Size in MM	inch	Std. Pack
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	

Size inMM	inch	Std. Pack
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	
140 mm	5	
160 mm	6	
180 mm	7	
200 mm	8	
250mm	10	

Offset-15 Kg




MTA (Small Threaded)



Size in MM	inch	Std. Pack
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	
160 mm	6	
180 mm	7	
200 mm	8	

Size inMM	inch	Std. Pack
25 mm	¾	
32 mm	1	
40 mm	1 ¼	
50 mm	1 ½	

TPWF (D)




MTA (Big Threaded)



Size in MM	inch	Std. Pack
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	

Size inMM	inch	Std. Pack
50 mm	1 ½	
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	

TPWF (S)



F.T.A



Size in MM	inch	Std. Pack
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	

Size inMM	inch	Std. Pack
63 mm	2	
75 mm	2 ½	
90 mm	3	
110 mm	4	
140 mm	5	
160 mm	6	

Tail Piece



Size in MM	inch
50 mm	1 ½
63 mm	2
75 mm	2 ½
90 mm	3
110 mm	4
140 mm	5
160 mm	6
180 mm	7
200 mm	8
250 mm	10

Size inMM	inch
63 X 75	2 X 2 ½
63 X 90	2 X 3
75 X 90	2 ½ X 3
90 X 110	3 X 4
110 X 75	4 X 2 ½
110 X 140	4 X 5

R.M.T.A



Thread Piece



Size in MM	inch
63 mm	2
75 mm	2 ½
90 mm	3
110 mm	4

Size inMM	inch
63 X 75	2 X 2 ½
63 X 90	2 X 3
75 X 90	2 ½ X 3
90 X 110	3 X 4
110 X 75	4 X 2 ½
110 X 140	4 X 5

R.F.T.A



Big Th. Piece



Size inMM	inch
63 mm	2
75 mm	2 ½
90 mm	3
110 mm	4


Size inMM	inch
32 mm	1
40 mm	1 ¼

Jet M/F 6"



Size inMM	inch
32 mm	1
40 mm	1 ¼

Jet M/F 9"



UPVC PIPES & FITTINGS

Manufactured to deliver superior durability and long-lasting performance for cold water systems.




UPVC Pipes

AS PER ASTM D 1785



SIZE	SCH-40	SCH-80
3/4	380	500
1	580	720
1 1/4	780	1000
1 1/2	1144	1494
2	1447	1960
2 1/2	2474	3267
3	3080	4200
4	4387	6114
5	6534	8267
6	8267	10667
8	12800	16534



Fabricated

UPVC Coupler



Size in MM	inch
25 mm	3/4
32 mm	1"
40 mm	1 1/4
50 mm	1 1/2
63 mm	2
75 mm	2 1/2
90 mm	3
110 mm	4

Size in MM

inch

25 mm	3/4
32 mm	1
40 mm	1 1/4
50 mm	1 1/2
63 mm	2
75 mm	2 1/2
90 mm	3
110 mm	4

UPVC BEND



Coupler



Size in MM	inch	Std. Pack
15 mm	½	50
20 mm	¾	50
25 mm	1	25
32 mm	1 ¼	10
40 mm	1 ½	10

Size in MM	inch	Std. Pack
15 mm	½	50
20 mm	¾	50
25 mm	1	25
32 mm	1 ¼	10
40 mm	1 ½	10

End Cap



Elbow 90°



Size in MM	inch	Std. Pack
15 mm	½	50
20 mm	¾	50
25 mm	1	25
32 mm	1 ¼	10
40 mm	1 ½	10

Size in MM	inch	Std. Pack
20x15	¾x½	25
25x15	1x½	25
25x20	1x¾	25
32x15	1 ¼x½	10
32x20	1 ¼x¾	10
32x25	1 ¼x1	10

Reducing Tee



Tee



Size in MM	inch	Std. Pack
15 mm	½	50
20 mm	¾	25
25 mm	1	25
32 mm	1 ¼	10
40 mm	1 ½	10

Size in MM	inch	Std. Pack
20X15	¾x½	25
25X15	1x½	25
25X20	1x¾	25

Reducing elbow 90°



MTA UPVC



Size in MM	inch	Std. Pack
15 mm	½	50
20 mm	¾	50
25 mm	1	25
32 mm	1 ¼	10
40 mm	1 ½	10
50 mm	2	5

Size in MM	inch	Std. Pack
20x15	¾x½	25
25x15	1x½	25
25x20	1x¾	25
32x20	1 ¼x¾	10
32x25	1 ¼x1	10
40x20	1 ½x¾	10
40x25	1 ½x1	10
40x32	1 ½x1 ¼	10

Reducing Coupler



FTA UPVC



Size in MM	inch	Std. Pack
15 mm	½	50
20 mm	¾	50
25 mm	1	25
32 mm	1 ¼	10
40 mm	1 ½	10
50 mm	2	5

Size in MM	inch	Std. Pack
25x15	1x½	50
25x20	1x¾	50
32x20	1 ¼x¾	10
32x25	1 ¼x1	10
40x15	1 ½x½	10
40x25	1 ½x1	10
40x32	1 ½x1 ¼	10

Reducing Bush



Reducing brass threaded elbow



Size in MM	inch	Std. Pack
15 mm	½	25
20 mm	¾	10
25 mm	1	10
20X15	¾x½	25
25X15	1x½	10
25X20	1x¾	10

Size in MM	inch	Std. Pack
15 mm	½	10
20 mm	¾	10
25 mm	1	5
20x15	¾x½	10
25x15	1x½	10
25x20	1x¾	10

Brass Threaded FTA



Brass Threaded Tee



Size in MM	inch	Std. Pack
15	½	25
20	¾	10
25	1	10
20x15	¾x½	25
25x15	1x½	10
25x20	1x¾	10

Size in MM	inch	Std. Pack
20 mm	¾	10
25 mm	1	10
32 mm	1¼	10
40 mm	1½	10

Tank Nipple (Thread)



Brass Threaded MTA



Size in MM	inch	Std. Pack
15 mm	½	10
20 mm	¾	10
25 mm	1	5
20x15	¾x½	10
25x15	1x½	10

Size in MM	inch	Std. Pack
15 mm	½	10
20 mm	¾	10
25 mm	1	10
32 mm	1¼	5
40 mm	1½	5

Union





CPVC PIPES & FITTINGS

Reliable hot water plumbing with lasting strength and leak-proof performance.



SDR -11 CPVC Pipes

Size in MM	inch	3mtr	5mtr	Std. Pack
20 mm	¾	321	535	50
25 mm	1	516	861	25
32 mm	1¼	783	1306	15
40 mm	1½	1078	1797	10
50 mm	2	1840	3068	10

Size in MM	inch	3mtr	5mtr	Std. Pack
20 mm	¾	262	436	50
25 mm	1	424	704	25
32 mm	1¼	632	1053	15
40 mm	1½	895	1492	10
50 mm	2	1524	2540	10

SDR -13.5 CPVC Pipes



CPVC Fittings

AS PER ASTM D 2846

Coupler



Size in MM	inch	Std. Pack
15 mm	½	100
20 mm	¾	50
25 mm	1	50
32 mm	1¼	25
40 mm	1½	10
50 mm	2	5

Size in MM	inch	Std. Pack
15 mm	½	100
20 mm	¾	50
25 mm	1	25
32 mm	1¼	10
40 mm	1½	10
50 mm	2	5

Equal Tee



Elbow 45°



Size in MM	inch	Std. Pack
20 mm	¾	25
25 mm	1	10
32 mm	1¼	10

Size in MM	inch	Std. Pack
20 mm	¾	25
25 mm	1	10

Cross Tee



Elbow 90°



Size in MM	inch	Std. Pack
15 mm	½	100
20 mm	¾	100
25 mm	1	50
32 mm	1¼	25
40 mm	1½	10
50 mm	2	5

Size in MM	inch	Std. Pack
15 mm	½	100
20 mm	¾	50
25 mm	1	25
32 mm	1¼	10
40 mm	1½	10
50 mm	2	10

End Cap



Elbow 90° Brass



Size in MM	inch	Std. Pack
20x15	¾x½	25
25x15	1x½	10
25x20	1x¾	10

Reducing Th Tee Brass



Size in MM	inch	Std. Pack
20x20x15		10
25x25x15		10
25x25x20		10

RFTA Brass



Size in MM	inch	Std. Pack
20x15	¾x½	10
25x15	1x½	10
25x20	1x¾	10

RMTA Brass



Size in MM	inch	Std. Pack
20x15	¾x½	25
25x15	1x½	25
25x20	1x¾	10

Tank Nipple



Size in MM	inch	Std. Pack
20 mm	¾	10
25 mm	1	10

Union



Size in MM	inch	Std. Pack
20 mm	¾	10
25 mm	1	10
32 mm	1¼	10
40 mm	1½	5
50 mm	2	5

Clamp



Size in MM	inch	Std. Pack
20 mm	¾	100
25 mm	1	50

Size in MM	inch	Std. Pack
20x15	¾x½	50
25x15	1x½	50
25x20	1x¾	25
32x15	1¼x½	10
32x20	1¼x¾	10
32x25	1¼x1	10
40x15	1½x½	10
40x20	1½x¾	10
40x25	1½x1	10
40x32	1½x1¼	10

Reducing Bush



Size in MM	inch	Std. Pack
20x15	¾x½	50
25x15	1x½	25
25x20	1x¾	25
32x20	1¼x¾	10
32x25	1¼x1	10
40x20	1½x¾	10
40x25	1½x1	10
40x32	1½x1¼	10

Reducing Coupler



Size in MM	inch	Std. Pack
15 mm	½	50
20 mm	¾	50
25 mm	1	25
32 mm	1¼	10
40 mm	1½	10
50 mm	2	5

MTA CPVC



Size in MM	inch	Std. Pack
15 mm	½	50
20 mm	¾	50
25 mm	1	25
32 mm	1¼	10
40 mm	1½	10
50 mm	2	5

FTA CPVC




Size in MM	inch	Std. Pack
15 mm	½	50
20 mm	¾	50
25 mm	1	25
32 mm	1¼	10
40 mm	1½	10
50 mm	2	5



BOREWELL PIPING SYSTEMS

Engineered for deep borewell applications, Truwell Borewell Pipes ensure efficient water delivery, high load-bearing capacity, and dependable performance season after season.



PRODUCT FEATURES



**EASY TO TRANSPORT
& INSTALL**



**PREVENTS CLOGGING
OF BORE HOLE**



**WITH HOLD HIGH
HYDROSTATIC COLLAPSE PRESSURE**



MAINTAINENCE FREE



**STALL PERFORMANCE
AT GREAT DEPTHS**



**LEAD FREE &
CHEMICAL RESISTANCE**

Casing Pipes

Type	Plain, Ribbed
Grade	CM, CS, CD
Colour	Blue, Green
Slot Width	0.75mm, 1.00mm, 1.50mm, 2.00mm, 3.00mm
Threads	Internal thread - One end External thread - Thread production cover.
Depth	Above 80m 262Ft upto 153m 500Ft (CM) upto 80m 262Ft (CS) Above 250m 820Ft upto 450m 1476 Ft (CD)

BOREWELL CASING PIPES (3MTR)

Size	CS	CM	CM/RIB	CD	CD/RIB
125mm (5")	2164	2565			
150mm(6")	2565	3400	4065	4400	5000
(7") (NON ISI)	3200	4100			
175mm(7 ½')	4100	4900		6200	
200mm(8")	4900	6200	7710	8600	9590



COLUMN PIPES

Delivering reliable water flow with superior strength, secure joints, and long-lasting performance for agricultural borewells.



Blue Casing End Pipe

SIZE	Th.End Cap	Heavy Long Cone
125mm (5)	165	590
150mm(6)	236	778
7	307	944
175mm (7 ½)	401	1121
200mm(8)	590	1239
250mm(10)	1239	-

Column Pipes

Available Grades:

- Blue - Light weight (200 - 250 ft)
- Red - Medium (250 - 400 ft)
- Green - Heavy (400 - 650 ft)



COUPLER

Size	Light (Blue)	Medium (Red)	Heavy (Green)
1	367	385	486
1 ¼	482	512	657
1 ½	640	670	780
2	772	945	1002
2 ½	1020	1185	1325
3	1479	1660	1849
4	2094	2464	2630
BELL MOUTH			
1	280	388	
1 ¼	420	513	

Electrical Pipes



Size	Green	Gold	Rose
1	96.15	84.10	70.40
¾	65.25	59.25	52.40

Size	Green	Gold	Rose
1	81.00	69.00	58.50
¾	55.50	49.50	44.25



Size in MM	inch
19 mm	¾
25 mm	1

FABRICATED BEND



Electrical Fittings

JUNCTION BOX



Light weight

Size inMM	1,2	3,4
19 mm	9.50	11.00
25 mm	11.00	12.50

Heavy

Size inMM	1,2	3,4
19 mm	11.00	12.50
20 mm	10.00	11.50
25 mm	13.50	15.00
32 mm	20.00	21.50
40 mm	26.00	28.00

Extra Heavy

Size inMM	1,2	3,4
25 mm	20.00	20.00

DEEP JUNCTION BOX



Light weight

Size inMM	1,2	3,4
19 mm	12.00	13.80
25 mm	13.50	15.00

Heavy

Size inMM	1,2	3,4
19 mm	16.00	17.50
20 mm	12.50	14.50
25 mm	17.50	19.00
32 mm	26.00	28.00
40 mm	34.00	36.00

Extra Heavy

Size inMM	1,2	3,4
25 mm	24.00	24.00

FAN BOX



Grade

Heavy

Jumbo

Grade

Heavy

LOTO BOX



FAN PLATE



Item

Round sheet (Heavy)

Fan Round sheet

Round Block

Size inMM

19 mm

20 mm

25 mm

32 mm

40 mm

TEE



ELBOW



Size inMM

19 mm

20 mm

25 mm

32 mm

40 mm

Size inMM

25x19

25x20

REDUCER



PVC Ball Valve

PP Ball Valve

Size in MM	inch	S-Handle		L-Handle	
		Plain	Thread	Plain	Thread
20mm	¾	53.60	53.60	53.60	53.60
25mm	1	56.70	56.70	56.70	56.70
32mm	1 ¼	99.00	99.00	99.00	99.00
40mm	1 ½	104.00	104.00	113.60	113.60
50mm	2	152.50	152.50	188.40	188.40
65mm	2 ½	237.00	237.00	276.00	276.00
80mm	3	363.40	363.40	409.00	409.00
100mm	4	568.00	568.00	634.00	634.00
125mm	5	2435.00	2435.00		

S-Handle



L-Handle



Rigid PVC Ball Valve

Size in MM	inch	Plain	Thread
15mm	½	72.00	72.00
20mm	¾	88.00	88.00
25mm	1	124.00	124.00
32mm	1 ¼	198.00	198.00
40mm	1 ½	262.00	262.00
50mm	2	383.00	383.00

S-Handle



L-Handle



UPVC Ball Valve

Size in MM	inch	S-Handle	L-Handle
15mm	½	72.00	88.00
20mm	¾	94.00	112.00
25mm	1	120.00	141.00
32mm	1 ¼	190.00	214.00
40mm	1 ½	238.00	264.00
50mm	2	357.00	383.00

S-Handle



L-Handle



CPVC Solid Ball Valve

Size in MM	inch	S-Handle	L-Handle	Union
20mm	¾	122.00	140.00	144.00
25mm	1	161.00	183.00	220.00
32mm	1 ¼	240.00	265.00	421.00
40mm	1 ½	317.00	345.00	755.00
50mm	2	470.00	498.00	1115.00

S-Handle



L-Handle



Union



CP Bath Fittings

GROZA Collections



LOW
MAINTENANCE



QUALITY CONTROL
APPROVED



PROTECT
WATER FLOW



SYSTEM
HOT & COLD WATER



SMOOTH FLOW



MAXIMUM
COMFORT

TRUWELL
PIPES AND FITTINGS

43
YEARS



Code : 2501
Bib Cock With Flange



Code : 2502
Long Body Bib Cock With Flange



Code : 2503
Pillar Cock



Code : 2504
Angle Stop Cock With Flange



Code : 2505
2 Way Bib Cock With Flange



Code : 2507
Sink Cock With Regular Swinging
Spout With Flange (W/M)



Code : 2508
Sink Cock With Extended Swinging
Spout With Flange (W/M)



Code : 2509
Swan Neck With Regular Swinging
Spout (T/M)



Code : 2510
Swan Neck With Extended
Swinging Spout (T/M)



Code : 2512
Concealed Stop Cock With Adjustable
Wall Flange (15mm)



Code : 2513
Concealed Stop Cock With Adjustable
Wall Flange (20mm)



Code : 2514
Flush Cock With Adjustable Wall
Flange (25mm)



Code : 2516
Pillar Cock With Extension Body



Code : 2517
Sink Mixer With Regular Swinging
Spout



Code : 2520
Wall Mixer With L-Bend For
Overhead Shower



Code : 2521
Wall Mixer With Crutch For Provision Of
Hand Shower



Code : 2522
Wall Mixer 3 In 1 With Provision For
Both Overhead And Hand Shower



Code : 2525
Concealed Diverter



Code : 2530
Single Lever Basin Mixer



Code : 411
Concealed Body For High
Flow Single lever Diverter



Code : 450-3"
SS Waste Coupling



Code : 451-3"
Brass Waste Coupling

CP Bath Fittings

FLORA Collections



LOW
MAINTENANCE



QUALITY CONTROL
APPROVED



PROTECT
WATER FLOW



SYSTEM
HOT & COLD WATER



SMOOTH FLOW



MAXIMUM
COMFORT

TRUWELL
PIPES AND FITTINGS

43
YEARS



Code : 2201
Bib Cock With Flange



Code : 2202
Long Body Bib Cock With Flange



Code : 2203
Pillar Cock



Code : 2204
Angular Stop Cock With Flange



Code : 2205
2 Way Bib Cock With Flange



Code : 2207
Sink Cock With Regular Swinging
Spout With Flange (W/M)



Code : 2207-F
Sink Cock With Flexible Swinging
Spout With Flange (W/M)
Also Available With Dual Flow Spout



Code : 2209
Swan Neck With Regular Swinging
Spout (T/M)



Code : 2209-F
Sink Cock With Flexible Swinging
Spout With Flange (W/M)
Also Available With Dual Flow Spout



Code : 2211
Central Hole Basin Mixer With
Swinging Spout



Code : 2213
Concealed Stop Cock With Adjustable
Wall Flange (20mm)



Code : 2214
Flush Cock With Adjustable Wall
Flange (25mm)



Code : 2215
Medium Pillar Cock Long Nose



Code : 2216
Pillar Cock With Extension Body



Code : 2217
Sink Mixer With Regular Swinging
Spout



Code : 2220
Wall Mixer With L-Bend For
Overhead Shower



Code : 2221
Wall Mixer With Crutch For
Provision Of Hand Shower



Code : 2222
Wall Mixer 3 In 1 With Provision For
Both Overhead And Hand Shower



Code : 2225 (M-Flow)
Code : 2226 (H-Flow)
Expose Parts Kit Of Single Lever
Concealed Diverter



Code : 2230
Single Lever Basin Mixer

PTMT Collections

PREMIUM

Available in 45° & 90°



15 MM Taps



BIB TAP



PILLAR TAP



LONG TAP



SWAN TAP



2WAY BIB TAP



ANGLE TAP



SINK TAP



2WAY ANGLE TAP



WASHING MACHINE TAP



NOZZLE TAP



FORM FLOW BIB TAP

PTMT Collections

AQUA

Available in 45° & 90°



20 MM Taps



BIB TAP



PILLAR TAP



LONG TAP



SWAN TAP



2WAY BIB TAP



ANGLE TAP



SINK TAP



2WAY ANGLE TAP



NOZZLE TAP



SINK MIXER



WALL MIXER WITH L BEND

BUILDING STRONGER TOMORROWS. TOGETHER.

For over 43 years, Truwell Pipes & Fittings has been empowering progress across homes, farms, industries, and cities. Our commitment to quality, innovation, and customer trust drives everything we do.

As we look ahead, our promise remains the same –

**Delivering Reliable Piping Solutions for
a Better Tomorrow.**

*Thank you for being part of
our journey.*



THE TRUWELL PROMISE



QUALITY ASSURED

ISI certified products
manufactured with
precision and care.



TRUSTED PARTNER

Built on lasting
relationships and
customer trust.



INNOVATION DRIVEN

Continuous improvement
and modern solutions
for evolving needs.



RELIABLE SUPPLY

Strong distribution
network ensuring
timely delivery.



SUSTAINABLE FUTURE

Committed to
environmentally
responsible practices.

GET IN TOUCH

We are always here to help you
with the right piping solutions.



+91 44 2747 2425 / 2747 2025



info@truwellpipes.com



www.truwellpipes.com



SCAN TO VISIT
OUR WEBSITE

FOLLOW US



/truwellpipes



REGISTERED OFFICE

No. 4/74, Mount Poonamallee High Road,
Manapakkam, Chennai – 600 125,
Tamil Nadu, India.



MANUFACTURING FACILITIES

3 State-of-the-art Manufacturing Units
with 355,000+ Sq. Ft. of Advanced
Production Infrastructure.



OUR PRESENCE

Tamil Nadu, Andhra Pradesh,
Telangana, Karnataka
& Kerala.